

2026 | MARCH | V8.1

SECURITY SEAL CATALOGUE



SOLVED DISTRIBUTION
SOLUTIONS



SOLVED DISTRIBUTION
SOLUTIONS

OUR HIGH-QUALITY SOLUTIONS

At **Solved Distribution Solutions** we offer a comprehensive range of customizable tamper-evident security solutions, including bags, plastic and metal seals, labels, and tape. Our products serve a wide array of sectors, including cash-in-transit, manufacturing, logistics, hospitality and gaming, and financial services. We are proud to offer products that meet stringent international standards, including ISO 17712 CT-PAT certification.

Furthermore, our local and international manufacturing partners hold ISO9001 and ISO14001 accreditations, ensuring that our products are consistently of the highest quality and reliability, placing us at the forefront of the market.

Get In Touch



info@solvedds.com



+27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

Why Choose Us



Integrity

We take full responsibility for our actions, building trust through transparency and by consistently delivering on our promises.



Stewardship

We foster a culture of ownership, empowering every member of our team to contribute to our vision. This includes a commitment to personal and professional development, our community, and environmental responsibility.



Commitment

Our customers can rely on our dedication to meeting and exceeding their expectations. We are proactive in finding solutions and swiftly address any challenges that may arise.



Innovation

We cultivate a creative and positive environment, embracing continuous improvement and adapting readily to change.



Customer Focused

We are deeply committed to our customers' success and will go the extra mile to ensure their needs are met.



Care

We value our team and clients, recognising the human element in every interaction and fostering meaningful relationships.

Get In Touch

 info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION SOLUTIONS

Solved Distribution Solutions specialises in a variety of tamper evident security seals, these include entry level plastic seals, high security seals, metal seals, cable seals as well as our ISO accredited CTPAT range of container seals. Having the correct security seal for your application is of vital importance. Please feel free to browse through our range of products below or get in touch with one of our friendly risk consultants for further advice. Should there be something you're looking for that you don't find below, please get in touch with us and we will endeavour to source it for you.




ABS CABLE SEAL



CONTAINER BOLT LOCK



CARGO BOLT SEAL



METAL CABLE SEAL



RIDGE BACK METAL
CABLE SEAL

Get In Touch

 info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

HIGH SECURITY SEAL

ABS CABLE SEAL


Pull Tight Plastic Cable Seal

ISO17712:2013 Compliant

The Y-241 is a ABS Plastic and Zinc alloy body with galvanized steel cable wire

The lock can be laser printed with a company logo, barcode, QR code and serial number.

The NPC wire is 1.5mm in diameter and 300mm in length.



Technical Specifications

PRODUCT					
Material	Cable Length	Cable Diameter	Tensile Strength	Marking Area	Max Marking Digits
Body: ABS Plastic Cable: Galvanized steel wire	300 mm	ø1,5 mm	>280 kgs	Body: 26 x 16.5 mm	10
OUTER CARTON					
Carton Quantity	Dimensions	Weight kg/carton	Inner Carton	Standard Colours	
1000 pcs	350 x 310 x 150mm	15kgs	500 pcs		

Get In Touch

info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

HIGH SECURITY SEAL

CONTAINER BOLT LOCK

A strong tamper-evident mechanical seal, the Container Bolt Seal consists of a hardened steel pin and bush moulded with resilient high-impact ABS.

With immense tensile strength and anti-spin locking mechanisms, the Container Bolt Seal is a fortified container bolt seal widely used in shipping, securing intermodal containers and ground transportation.



Features

- 1** Hardened steel pin and bush for added security.
- 2** The pin and bush are moulded with high-impact ABS to provide high tamper evidence.
- 3** Oval-shaped pin and bush to mitigate 'spinattacks'. The anti-locking mechanism prevents friction and only allows 1-way locking.
- 4** Identical sequential numbers on both parts provide greater security as it prevents parts substitution or replacement.
- 5** The solid combination of the Metal Hasp's ABS high-Impact body with a stainless steel hasp provides great strength and durability.
- 6** Scored to allow easy removal by hand, the Metal Hasp is designed for single use and is destroyed when opened, providing clear tamper evidence.

Technical Specifications

PRODUCT					
Material	Locking Length	Bolt Diameter	Tensile Strength	Marking Area	Max Marking Digits
Plastic pin and barrel: High-Impact ABS Pin and bush: Hardened Steel	50 mm	ø8 mm	1500 kg	10 x 24 mm	Serial no: 8 digits Barcode: 8 digits
OUTER CARTON					
Carton Quantity	Dimensions	Weight kg/carton	Volume m ³ /carton	Standard Colours	
250 pcs	585 x 360 x 200 mm	17,15 kgs	0,042 m ³		

Get In Touch

 info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

HIGH SECURITY SEAL

CARGO BOLT SEAL

The Cargo Bolt Lock's provides protection against unauthorized access to the goods carried by the locking devices of vehicles and containers by identifying the fact of the access to the load.

Typical applications of the Cargo Bolt Lock including shipping and intermodal containers, petroleum and railway containers.

The Cargo Bolt Lock is also widely used for ground transportation.



Features

- 1 The metallic pin and bush of the Cargo Bolt Lock is made of high-carbon steel which gives better strength and added security.
- 2 The metallic pin is flared to prevent intentional abuse of the seals internal mechanisms once secured.
- 3 The barrel is made from high-impact ABS, which is molded on to the high-carbon steel bush.
- 4 The Cargo Bolt Lock is etched with permanent laser markings. Laser marking offers the highest level of security as it cannot be removed and replaced.
- 5 Standard markings include serial number and customer name/logo. A variation of bar codes can also be marked with laser technology.

Technical Specifications

PRODUCT					
Material	Locking Length	Bolt Diameter	Tensile Strength	Marking Area	Max Marking Digits
Pin and barrel: ABS+ Q235A mild steel with white zinc plating	84.8 mm	ø8 mm	1.8 Tons	22 x 27 mm	9
OUTER CARTON					
Carton Quantity	Dimensions	Weight kg/carton	Volume m ³ /carton	Standard Colours	
250 pcs	300 x 280 x 160 mm	14.52	0.01344 m ³		

Get In Touch

info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION SOLUTIONS

HIGH SECURITY SEAL

METAL CABLE SEAL


Pull Tight Cable Seal

ISO17712:2013 Compliant

The Metal Cable Seal is a metal alloy lock with an NPC wire.

The lock can be laser printed with a company logo, barcode, QR code and serial number.

The NPC wire is 1.5mm in diameter and 300mm in length with a load failure of >270Kgs.



Technical Specifications

PRODUCT					
Material	Cable Length	Cable Diameter	Tensile Strength	Marking Area	Max Marking Digits
Body: Metal alloy Cable: Galvanized steel wire	300 mm	\varnothing 1,5 mm	>270 kgs	Body: 21,8 x 26,0 mm	10
OUTER CARTON					
Carton Quantity	Dimensions	Weight kg/carton	Standard Colours		
500 pcs	370 x 310 x 240	6kgs			

Get In Touch

info@solvedds.com
+27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

HIGH SECURITY SEAL

RIDGE BACK METAL CABLE SEAL

Pull Tight Cable Seal



The Metal Cable Seal is an aluminum iron lock with an NPC wire.

The lock can be laser printed with a company logo, barcode, QR code and serial number. The NPC wire is 1.5mm in diameter and 300mm in length with a load failure of >280Kgs.

Technical Specifications

PRODUCT					
Material	Cable Length	Cable Diameter	Tensile Strength	Marking Area	Max Marking Digits
Body: Aluminum-alloyed Cable: Galvanized steel aircraft cable wire	Cable length can be customised	ø1,5 mm	500 kgs	Body: 28,58 x 22,81 mm	10
OUTER CARTON					
Carton Quantity	Dimensions	Weight kg/carton	Inner Carton	Standard Colours	
1000 pcs	330x 280 x 150mm	11kgs	1000 pcs		

Get In Touch

info@solvedds.com
 +27 10 591 2922




SOLVED DISTRIBUTION SOLUTIONS

Solved Distribution Solutions specialises in a wide variety of tamper evident security seals, these include entry level plastic seals, high security seals, metal seals, cable seals as well as our ISO accredited CTPAT range of container seals. All our seals are designed and developed in-house at our state of the art ISO accredited manufacturing facility. Having the correct security seal for your application is of vital importance. Please feel free to browse through our range of products below or get in touch with one of our friendly risk consultants for further advice.



DYNAMO SEAL



QUICK SEAL



FORTRESS DUO SEAL



ORYX SECURITY SEAL



PADLOCK SEAL



PETIT 230 SEAL



SLIDER SEAL



METER SEAL

Get In Touch



info@solvedds.com



+27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

INDICATIVE SEAL

DYNAMO SEAL

Fixed Length Metal Strap Seal

The Dynamo metal strap can still move slightly when it is sealed, enabling inspectors to detect gluing easily.

With a flat, sizeable area for laser marking to be printed directly on the flap, the Dynamo seal allows for easy and efficient identification of the seal in operation efficiency.

Typical applications of the Dynamo seal include trucks and tankers, customs control, airline cargo, empty shipping containers, rail wagons and warehouses.



Features

- 1 Colour coding is enabled through different coloured caps and seal bases.
- 2 Dynamo seals are etched with permanent laser marking for names, logos, sequential numbers and barcodes. Laser marking offers the highest level of security as it cannot be removed or replaced.
- 3 With markings etched on a corrosion-proof plastic surface, the markings stay clear and legible for a long time after its initial application.
- 4 Heat staking is used to permanently bond caps and seals, and cannot be cut or forced open without leaving clear evidence of tampering.
- 5 Alignment holes ensure easy inspection of sealing.
- 6 The strong and durable metal strap can withstand harsh handling and climatic conditions experienced with long-haul shipments.

Technical Specifications

PRODUCT						
Product code	Material	Locking Length	Strap Dimensions	Tensile Strength	Marking Area	Max Marking Digits
DYN001_WH	Cap: PP Strap: Tin-plated metal Locking Mechanism: Stainless steel	200 mm	7,0 x 0,28 mm	82 kgs	Flap: 40,0 x 15,0 mm	14
INNER CARTON						
Product	Carton Quantity	Dimensions	Weight kg/carton	Volume m3 /carton	Standard Colours	
DMS7_22	1,000 pcs	362 x 222 x 255 mm	7,19 kgs	0,02049	Base: <input type="checkbox"/>	Cap: <input type="checkbox"/>

Get In Touch

 info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

INDICATIVE SEAL

QUICK SEAL

Strong Pull-Tight Seal with Metal Locking



The Quick Seal is a strong and durable indicative seal with highly tamper-evident security features.

It is suitable for securing goods in transit for various sectors: bank, postal services, airline cargo, pharmaceuticals, food and beverages and transportation of high-value goods.

Features

- 1 The Quick Seal is a strong and durable seal designed for longer seal length and stronger sealing requirements.
- 2 The large flap area allows ample space for marking.
- 3 The embedded spikes at the back of the seal provide better strapping grip on bags or other slippery materials.
- 4 Heat staking technology is used to permanently fix the cap to the seal. Heat staking cannot be cut or forced open without leaving clear evidence of tampering.
- 5 The Quick Seal is etched with secure and permanent laser marking for name, logo, sequential numbers and barcodes. Laser marking offers the highest level of security as it cannot be removed or replaced.
- 6 The options for durable nylon or PP securing straps give users different choices for strength customization to match different applications.

Technical Specifications

PRODUCT						
Product	Material	Locking Space	Strap Dimensions	Pull Strength	Marking Area	Max Marking Digits
Y-018	Body: PP / Nylon	305 mm	ø3,5 mm	35 kg (PP)	Flap: 55 x 20 mm	14
T-019		457 mm	ø3,5 mm	40 kg (NY)	Flap: 55 x 20 mm	14
INNER CARTON						
Product	Carton Quantity	Dimensions (mm)	Weight kg/carton	Volumem m/carton	Standard Colours	
Y-018	1,000 pcs	465 x 285 x 310 mm	6,68	0,04108		
T-019	1,000 pcs	665 x 250 x 240 mm	8,00	0,03990		

Get In Touch

info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

INDICATIVE SEAL

FORTRESS DUO SEAL

Double-Locking Plastic, Pull-Tight Tear-Off Seal

The Fortress Duo Seal is a versatile pull-tight seal. The innovative double-locking mechanism provides extra security when sealing.

Available in polypropylene (PP), this seal is suitable for a variety of applications that focus on tagging such as sealing bags, documents and goods-in-transit.



Features

- 1** The Fortress Duo Seal is etched with permanent laser marking for security and easy identification. Laser marking offers the highest level of security as it cannot be removed or replaced without showing clear signs of tampering.
- 2** The long marking flap allows for barcode markings, standard text, logos and alphanumeric serial numbers.
- 3** Includes a plastic double-locking mechanism to provide additional security.
- 4** The durable PP securing strap gives the seal enough strength to match different user applications.
- 5** The locking mechanism is secured within and protected by a raised enclosure that deters tampering efforts.

Technical Specifications

PRODUCT						
Product Code	Material	Locking Size	Total Length	Tensile Strength	Marking Area	Max Marking Digits
FDS	Strap: PP	1,3mm x 6,0mm x 380,0mm	380,0 mm	40kg	Flap: 16 mm x 40 mm	Serial No: 10 Barcode: 8
INNER CARTON						
Carton Quantity	Dimensions	Weight kg/carton	Volume m/carton	Standard Colours		
1,000 pcs	465 x 285 x 310 mm	5,95	0,04108 m			

Get In Touch

info@solvedds.com
 +27 10 591 2922




SOLVED DISTRIBUTION
SOLUTIONS

INDICATIVE SEAL

ORYX SECURITY SEAL

Plastic, Pull-Tight Tear-Off Seal



One piece plastic Security Seal. Ideal solution to seal all kind of bags in the Post, Courier Services and Cash in Transit sectors. Even Roll Cages can be ideally sealed with the Oryx seal. Due to the massive strap design suitable for rough handling.

Consecutive numbering or barcoding enables easy recording of the seal number and streamlines operations.

Features

- 1** The Oryx Seal is etched with permanent laser marking for security and easy identification. Laser marking offers the highest level of security as it cannot be removed or replaced without showing clear signs of tampering.
- 2** The long marking flap allows for barcode markings, standard text, logos and alphanumeric serial numbers.
- 3** Includes a plastic locking mechanism to provide additional security.
- 4** The durable PP securing strap gives the seal enough strength to match different user applications.
- 5** The locking mechanism is secured within and protected by a raised enclosure that deters tampering efforts.

Technical Specifications

PRODUCT						
Product code	Material	Locking Size	Total Length	Tensile Strength	Marking Area	Max Marking Digits
1083	Strap: PP	2,2 x 8,0 x 251,0 mm	356,0 mm	41 kgs	Flap: 61,0 x 44,0 mm	Serial No: 10 Barcode: 8
OUTER CARTON						
Carton Quantity	Dimensions	Weight kg/carton	Volume m3 /carton	Standard Colours		
1,000 pcs	39,0 x 39,0 x 38,3 cm	6,2Kgs	0,02049			

Get In Touch

info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

INDICATIVE SEAL

PADLOCK SEAL

Cost-Effective, User-Friendly Padlock Seal

Slim, flat and user-friendly, the Padlock Seal is especially popular in the airline, food catering, utility and communication industries. not only is it light and durable, it is easy to apply and remove.

The plastic seal is very slim, which makes it suitable for applications such as securing electric utilities, cash boxes, airline food, sales trolleys and carts. The seal sits flat when locked and is therefore ideal for applications that are stowed away or might be handled roughly. The Padlock has ample marking space for laser-etched customization.



Features

- 1 The Padlock seal is etched with permanent laser marking for customized names, logos, barcodes and sequential numbers for security and easy identification.
- 2 Laser marking offers the highest level of security as it cannot be removed or replaced without showing clear signs of tampering.
- 3 With a slim body, the Padlock fits many applications and lies flat for efficient storage.
- 4 It is easy to apply and remove, and is designed to be closed with one hand.
- 5 Marking on both sides are available.

Technical Specifications

PRODUCT					
Material	Locking Length	Tensile Strength	Operational Temperature	Marking Area	Max Marking Digits
Body: PP Copolymers Locking Insert: POM(Acetal)	23 x 14mm	ø3,5 mm ø3,5 mm	35 kg (PP) 40 kg (NY)	Flap: 55 x 20 mm Flap: 55 x 20 mm	14 14
INNER CARTON					
Carton Quantity	Dimensions (mm)	Weight kg/carton	Volume m ³ /carton	Standard Colours	
1,000 pcs	284 x 254 x 299 mm	2.8kg	0.02157 m ³		

Get In Touch

info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

INDICATIVE SEAL

PETIT 230 SEAL

Economical Tagging Seal



The Petit 230 seal is a one piece moulded Security Seal used for applications such as Fire Extinguisher, Trolleys, Life Vest Bags, First Aid Kits and Cassettes.

In other words wherever the seal has to be fast and easy removable. Mainly used in the Airline,

Utilities and Cash in Transit business. Ribbon diameter 2.6 mm. Numbering and barcoding for efficient data capture. In two ribbon lengths and various plastic coloursconsignable.

Features

- 1** The Petit 230 seal is an adjustable length seal.
- 2** The seal can be removed without a tool. It breaks offwhen twisted by hand.
- 3** 2.6mm ribbon diameter that fits most applications.
- 4** The slim tail makes this seal easy to apply on various small applications.
- 5** The enlarged ring on the end of the tail prevents reverse locking.

Technical Specifications

PRODUCT						
Product	Material	Locking Length	Strap Dimensions	Tensile Strength	Marking Area	Max Marking Digits
Petit 150	Polypropylene	150.0 mm	ø3,0 mm	14,5 kg	40mm x 16mm	7
Petit 230	Polypropylene	230.0 mm	ø3,0 mm	14,5 kg	40mm x 16mm	7
INNER CARTON						
Product	Carton Quantity	Dimensions	Weight kg/carton	Volume m/carton	Standard Colours	
Petit 150	1,000 pcs	245 x 19 x 215 mm	1,86	0,01213		
Petit 230	1,000 pcs	363 x 189 x 195 mm	2,11	0,01330		

Get In Touch

info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

INDICATIVE SEAL

SLIDER SEAL

Strong Pull Tight Seal With Metal Locking

High security pull-tight security seal is the optimal solutions for sealing bags, boxes and roll cages used in the courier services, cash in Transit and Transport sectors.

Strap dimension of 7.0 x 2.2mm offers a high tensile strength. Unique stainless steel locking mechanism gives a tamper-resistant fit. Spikes on ribbon gives good grip on neck of any bag.



Features

- 1 An all new 4-pronged spring metal insert that grips and cuts into the plastic ribbon when pulled back.
- 2 Unique 4-pronged spring steel insert to prevent postsealing tampering.
- 3 Cap is secured by unique hot-welding and leave marks of attempted tampering.
- 4 Ribbon snaps once there is an attempt to reverse the sealing.
- 5 Unique groove on ribbon to prevent any attempt to seal from the reverse direction.

Technical Specifications

PRODUCT						
Product Code	Material	Locking Size	Total Length	Tensile Strength	Marking Area	Max Marking Digits
PP350	Strap: Polypropylene	1,3mm x 8,0mm x 430mm	430 mm	25 - 35 kgs	Flap: 16 mm x 60 mm	Serial No: 10 Barcode: 8
INNER CARTON						
Carton Quantity	Dimensions	Weight kg/carton	Volume m ³ /carton	Standard Colours		
1,000 pcs	410 x 280 x 250 mm	3.5kg	300mm			

Get In Touch

info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

INDICATIVE SEAL

METER SEAL

Cost-effective,
Pull-Tight Twist Seal



The Meter Seal is a high-quality and cost-efficient sealing solution for all kinds of meters.

With a polycarbonate body and an acetal tab that is available in a variety of colours. The Meter Seal can be applied with coated and non-coated stainless steel wire with attention to different requirements. The non-flammable high impact ABS plastic provides excellent barcoding contrast that adds to operation efficiency and easy identification.

Typical applications for the Meter Seal include the securing of utility meters, scales, gasoline pumps, drums and totes.

Features

- 1** Meter Seals are etched with permanent laser marking. Laser marking offers the highest level of security as it cannot be removed or replaced.
- 2** The side flap area is etched with sequential numbering, logo or other customized marking for high security and easy identification.
- 3** Colour coding is possible with different combinations of the Meter Seal's clear transparent body and its twister caps, which come in a variety of colours.
- 4** Heat staking is used to permanently affix the twister inside the seal's body. If the seal is cut or forced open, this ensures it leaves clear evidence of tampering.

Technical Specifications

PRODUCT						
Material	Wire Length	Wire Diameter	Tensile Strength	Marking Area	Max Marking Digits	Standard Colours (Inserts)
Body: Polycarbonate Twister: Acetal	150 mm (Std) or Customized	Stainless Steel (Coated) 0.8 mm Stainless Steel (Non-Coated) 0.7 mm	30 kg	5.0 x 12.0 mm	8	

Get In Touch

info@solvedds.com
 +27 10 591 2922




SOLVED DISTRIBUTION SOLUTIONS

Solved Distribution Solutions specialises in a wide variety of Dunnage bags (airbags) are crucial for filling voids in containers, trailers, and railcars. They prevent cargo shifting and absorb shock during transit.

We also offer bullion boxes, robust and secure containers specifically designed for the safe transport of valuable goods like precious metals. Additionally, we provide adsorbent desiccant bags to control moisture and protect sensitive cargo from humidity during transit.



DUNNAGE BAG



DESICCANT CONTAINER BAG



GOLD BULLION BOXES

Get In Touch



info@solvedds.com



+27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

COMPLEMENTARY PRODUCTS

DUNNAGE BAG

Poly Woven Dunnage Mega Flow Valve Air Bag

Woven Dunnage Air Bags are recommended for heavy duty loads and strong forces during transportation.

The Mega Flow Valve allows you to fill up air bags much faster with our special venturi filling device. Blowing compressed air in the special jet chamber inside the filling device creates negative pressure and the device “sucks” a huge amount of additional outside air into the bag.

This so called venturi effect saves 30-40% of your time filling bags.



Specifications:

- Many times re-usable
- ISO 9001:2008 certified
- SGS and ROHS test report
- TIV Certificate
- Meets most safety standards
- 100% recyclable
- Many standard sizes available
- Very user friendly
- For all climatic conditions
- AAR Approval pending

The width of the bag is most important and depends on the size of the gap to fill. The length of an airbag can freely be adjusted to the size of the cargo.



Size of gap v/s air bag

- > 30 cm gap = 60 cm bag
- > 40 cm gap = 90 cm bag
- > 50 cm gap = 120 cm bag
- > 60 cm gap = 150 cm bag

Get In Touch

 info@solvedds.com
 +27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

COMPLEMENTARY PRODUCTS

DESICCANT CONTAINER BAG

750gr container desiccant in inner Tyvek bag and sewn PP non-woven bag with plastic hook (double layer)

Kind of desiccant: formulated desiccant (calcium chloride + modified starch)

Typical Chemical composition: 30% modified starch +70% CaCl₂

Appearance: white powder Weight: 1050 ±50grams

Dimensions: Length: 640+/-50mm; Width: 185+/-20mm; Thickness: 30+/-10mm

Material: Inner bag: heat-sealed Tyvek, 1056D/1059D, produced by Du Pont

Outer bag: sewn PP non-woven with strong plastic hook, about 100g/m², 3 sides heat-sealed/sewn

Particle size of desiccant: 0.5-2mm Moisture content: <5% (150 °C)

The adsorption capacity of moisture: >=200% at 30 °C and 90%RH

Storage: Cool dry location, 2 years shelf life



Features

- Each S1102TN can adsorb over 2,2 litres water and the weight will become over 3,6 kg
- Generally, 4-8 bags of S1102TN are recommended for 20 feet container and 8-16 bags for 40 feet container to protect against condensation damage in ocean, truck, rail and air shipping container or long term storage.
- S1102TN sewn with a strong plastic hook and can be easily hanged inside the container
- Do not content any COBALT CHLORIDE (CoCl₂) and DIMETHYL FUMARATE (DMF)

Product	Size	Quantity per Carton	Chemical Composition	Description	Features
DES750	L - 50mm W - 20mm T - 10mm	20 pcs	30% Modified Starch 70% CaCl ₂	Highest level of security	Resistant to heat, cold, saliva, solvents

Get In Touch



info@solvedds.com



+27 10 591 2922



SOLVED DISTRIBUTION
SOLUTIONS

COMPLEMENTARY PRODUCTS

GOLD BULLION BOXES

Secure Tamper-Evident Carry Box

Manufactured with high-impact ABS and fitted with plastic coated reinforced metal handles to carry heavy contents. The GB Box has a tamper-resistant slide-on security lid, with one secure sealing point.

The sealing point on the GB Box can be used with either metal barrier seals or plastic indicative seals, making the GB Box easy and cost effective to seal.

The GB Box can be used to carry a wide range of high security goods, including bulk coin, cash handling, gold bullion, jewelry, high value retail goods, duty-free goods, medical and pharmaceutical drugs.



Technical Specifications

PRODUCT					
Product	Material	Dimensions (mm)	Box Weight	Marking Area	Max Marking Digits
GB Box	High-impact ABS	265 x 140 x 95 mm	0,675 Kgs	Cover: 250 x 130 mm Side: 95 x 155 mm	According to customers' request
OUTER CARTON					
Product	Carton Quantity	Dimensions (mm)	Weight kg/carton	Volume m/carton	Standard Colours
GB Box	10 pcs	615 x 280 x 300 mm	7.1 Kg	0.05166 m	

Get In Touch

info@solvedds.com
 +27 10 591 2922